BEST AVAILABLE COPY

Substitute for form 1449A/PTO INFORMATION DISCLOSURE	Under the Paperwork Reduction Act of 1995, no persons are Complete if Known		- State Calls control Almes.
STATEMENT BY APPLICANT	<b>Application Number</b>	10/071861	<b>四</b>
Use as many sheets as necessary)	Filing Date	February 7, 2002	五三川
, -	First Named Inventor	Slawin M.D., Kevin	受量
JAH 2 7 2000	Group Art Unit	1645	一点的几
JAN 2 7 2003	Examiner Name	Unknown	6 6
sheet 1 of 3	Attorney Docket No: 6	75.002US1	8 3

		US	S PATENT DOCUME	NTS		
Examiner Initial *	USP Document Number	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	Filing Date If Appropriate
1/	US-5,993,388	11/30/1999	Kattan, M. W., et al	600	300	06/25/1998
2/14	US-6,409,664	06/25/2002	Kattan, M. W., et al	600	300	11/24/1999

		FOREIGN PA	TENT DOCUMENTS		<del></del>	· · · · · · · · · · · · · · · · · · ·
Examiner Initjals*	Foreign Document No	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	T <sup>2</sup>
Thi	WO-00/63841	10/26/2000	Wilkinson, L.	G06T	11/00	
The.	WO-99/38011	07/29/1999	Pollack, M. N., et al	G01N	33/574	<del></del>

	OTI	HER DOCUMENTS - NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No 1	include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	MARKET
PAh		"Human IL- sR Immunoassay, For the quantitative determination of human Interleukin 6 soluble Receptor (IL-6 sR) concentrations in cell culture supernate, serum, plasma, and urine", Quantikine, Catalog Number DR600, pp. 1-15	1/99
Lla	•	"Human IL-6 Immunoassay, For the quantitative determination of human interleukin 6 (IL-6) concentrations in cell culture supernate, serum, and plasma", Quantikine, Catalog Number D6050, pp. 1-15	JAN 1999
My.	. •	ADLER, H.L., et al., "Elevated Levels of Circulating Interleukin-6 and Transforming Growth Factor-β1 in Patients with Metastatic Prostatic Carcinoma", The Journal of Urology, 161, (January, 1999), pp. 182-187	
RAM	•	AKIMOTO, S., et al., "Relationship Between Serum Levels of Interleukin-6, Tumor Necrosis Factor-α and Bone Turnover Markers in Prostate Cancer Patients", Endocrine Journal, Vol. 45, No. 2, (1998), pp. 183-189	
Mr.	•	BELLUCO, C., et al., "Interleukin-6 Blood Level Is Associated With Circulating Carcinoembryonic Antigen and Prognosis in Patients With Colorectal Cancer", Annals of Surgical Oncology, Vol. 7, No. 1, (March, 2000), pp. 133-138	
1/h	e.	FIGUEROA, J.A., et al., "Differential Expression of Insulin-Like Growth Factor Binding Proteins in High Versus Low Gleason Score Prostate Cancer", <u>The Journal of Urology</u> , 159, (April, 1998), pp. 1379-1383	
de	-	IVANOVIC, V., et al., "Elevated plasma levels of TGF- β1 in patients with invasive prostate cancer", Nature Medicine, Vol. 1, No. 4, (April 4, 1995), pp. 282-283	
7/9	,	JUNKER, U., et al., "Transforming Growth Factor Beta 1 is Significantly Elevated in Plasma of Patients Suffering From Renal Cell Carcinoma", <a href="Cytokine">Cytokine</a> , Vol. 8, No. 10, (October, 1996), pp. 794-798	
M		KAKEHI, Y., et al., "Serum TGF-β1 Levels in Patients with Prostatic Cancer: Positive Correlation with Metastasis and Inverse Correlation with Age", Proceedings of the American Urological Association, Vol. 155, abstract 435, (May, 1996), 1 page	

EXAMINER `

DATE CONSIDERED

DED-MVH	ILABLE COPY	US Passet & Trademat Crick. US Passet & Trademat Crick. required to respond to a collection of information orders of goods.	PTO/SBOBA(10-01) AUDI 10/31/2007, OLUB 651-0031 3. DEPARTMENT OF COMMERCE
Substitute for form 1449A/PTO INFORMATION DISCLOSURE	Complete if Known	response to response to a conscision of information orders of conta	ins a valid OMB control number.
STATEMENT BY APPLICANT	<b>Application Number</b>	10/071861	\$ <b>\(\mu\)</b>
(Use as many sheets as necessary)	Filing Date	February 7, 2002	S S III
	First Named Inventor	Slawin M.D., Kevin	2 2 O
JAN 2 7 2003	% Group Art Unit	1645	₩ M
L AND THE RESERVE TO	Examiner Name	Unknown	8 20
Sheet 2 of 3	Attorney Docket No. 6	375.002US1	928 TI
			8

OTHER DOCUMENTS NON PATENT LITERATURE DOCUMENTS    Cite   Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, (thy and/or country where published.   KATTAN, M.W., et al., "A Preoperative Nomogram for Disease Recurrence Following Radical Prostatectomy for Prostate Cancer", Journal of the National Cancer Institute, Vol. 90, No. 10, (May 20, 1998), pp. 766-771    KONG, FENG-MING, et al., "Elevated Plasma Transforming Growth Factor-β, Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", Ann. Surg., Vol. 222, No. 2, (1995), pp. 155-162    KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494    LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202    NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706    PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155    SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356    SHARIAT, S.F., et al., "Association of Preoperative Plasma Levels of Insulin-Like	
KATTAN, M.W., et al., "A Preoperative Nomogram for Disease Recurrence Following Radical Prostatectomy for Prostate Cancer", Journal of the National Cancer Institute, Vol. 90, No. 10, (May 20, 1998), pp. 766-771  KONG, FENG-MING, et al., "Elevated Plasma Transforming Growth Factor-β₁ Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", Ann. Surg., Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer. (1995), pp. 354-356	
KATTAN, M.W., et al., "A Preoperative Nomogram for Disease Recurrence Following Radical Prostatectomy for Prostate Cancer", <u>Journal of the National Cancer Institute</u> , Vol. 90, No. 10, (May 20, 1998), pp. 766-771  KONG, FENG-MING, et al., "Elevated Plasma Transforming Growth Factor-β <sub>1</sub> Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", <u>Ann. Surg.</u> , Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", <u>British Journal of Cancer</u> , Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", <u>Der Urologe</u> , Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", <u>Urology</u> , Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer. (1995), pp. 354-356	
Following Radical Prostatectomy for Prostate Cancer", <u>Journal of the National Cancer Institute</u> , Vol. 90, No. 10, (May 20, 1998), pp. 766-771  KONG, FENG-MING, et al., "Elevated Plasma Transforming Growth Factor-β <sub>1</sub> Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", <u>Ann. Surg.</u> , Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", <u>Der Urologe</u> , Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer. (1995), pp. 354-356	
Cancer Institute, Vol. 90, No. 10, (May 20, 1998), pp. 766-771  KONG, FENG-MING, et al., "Elevated Plasma Transforming Growth Factor-β₁ Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", Ann. Surg., Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
KONG, FENG-MING, et al., "Elevated Plasma Transforming Growth Factor-β <sub>1</sub> Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", Ann. Surg., Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
Levels in Breast Cancer Patients Decrease After Surgical Removal of the Tumor", Ann. Surg., Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
Tumor", Ann. Surg., Vol. 222, No. 2, (1995), pp. 155-162  KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
KRASAGAKIS, K., et al., "Elevated plasma levels of transforming growth factor (TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
(TGF)-β1 and TGF-β2 in patients with desseminated malignant melanoma", British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
British Journal of Cancer, Vol. 77, No. 9, (1998), pp. 1492-1494  LANGE, I., et al., "Plasma-TGF-β1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
LANGE, I., et al., "Plasma-TGF-\$1-Konzentrationen bei Patienten mit einem Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202 NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706 PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155 SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
Prostatakarzinom oder einer benignen Prostatahyperplasie", Der Urologe, Vol. 37, (1998), pp. 199-202  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	<del></del>
Abst  NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
NAKASHIMA, J., et al., "Serum Interleukin 6 as a Prognostic Factor in Patients with Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
With Prostate Cancer", Clinical Cancer Research, 6, (July, 2000), pp. 2702-2706  PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
PERRY, K.T., et al., "Transforming Growth Factor Beta as a Clinical Biomarker for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
for Prostate Cancer", Urology, Vol. 49, No. 1, (1997), pp. 151-155  SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
SCAMBIA, G., et al., "Prognostic significance of interleukin 6 serum levels in patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
patients with ovarian cancer", British Journal of Cancer, (1995), pp. 354-356	
SHARIAT S.F. et al. "Association of Programming Diagram in the state of the state o	
. Growth Factor I and Insulin-Like Growth Factor Binding Proteins-2 and -3 with	
Prostate Cancer Invasion, Progression, and Metastasis", Journal of Clinical	
SHARIAT, S.F., et al., "Plasma Levels of Interleukin-6 and Its Soluble Receptor	
	]
(2001), pp. 1008-1015	
SHARIAT, S.F., et al., "Preoperative Plasma Levels of Transforming Growth With	
<ul> <li>Factor β1 (TGF-β<sub>1</sub>) Strongly Predict Progression in Patients Undergoing Radical Abstr</li> </ul>	ract .
Prostatectomy", Journal of Clinical Oncology, 19, (June 1, 2001), pp. 2856-2864	
SHIM, K.S., et al., "Elevated Serum Levels of Transforming Growth Factor-61 in	
Patients with Colorectal Carcinoma", American Cancer Society, (1999), pp. 554-	
	1
SMITH, D.S., et al., "Longitudinal Screening for Prostate Cancer with Prostate-	
Specific Antigen", JAMA, Vol. 276, No. 15, (October, 1996), pp. 1309-1315	
TSUSHIMA, H., et al., "High Levels of Transforming Growth Factor β1 in	
Patients With Colorectal Cancer: Association With Disease Progression"	1
Gastroenterology, Vol. 110, No. 2, (1996), pp. 375-382	
UEDA, T., et al., "Serum levels of cytokines in patients with colorectal cancer:	
Possible involvement of interleukin-6 and interleukin-8 in hematogenous	1
metastasis", J Gastroenterol, Vol. 29, (1994), pp. 423-429	
WIKSTROM, P., et al., "Transforming Growth Factor beta1 is Associated with	1

	1	.0					7
EXAMINER	K	4	DATE CON	SIDERED	7/	15-1	n
					<u> </u>		<u> </u>

BEST AVAILABLE COP Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT
(Use as many sheets as necessary) **Application Number** 10/071861 **Filing Date** February 7, 2002 First Named Inventor Slawin M.D., Kevin JAN 2 7 2003 **Group Art Unit** 1645 **Examiner Name** Unknown Attorney Docket No: 675.002US1 Sheet 3 of 3

	OT	UED DOCUMENTO MONTO	•	
Examiner	- 01	HER DOCUMENTS NON PATENT LITERATURE DOCUMENTS		_
Initials*	Cite No '	(book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s),	17	
My	•	Angiogenesis, Metastasis, and Poor Clinical Outcome in Prostate Cancer", The Prostate, 37, (1998), pp. 19-29	<del>                                     </del>	
Uh		WOLFF, J.M., et al., "Serum Concentrations of Transforming Growth Factor-β1 in Patients with Benign and Malignant Prostatic Diseases", Anticancer Research, Vol. 19, (1999), pp. 2657-2659	·	
VA	•	WOLFF, J.M., et al., "Transforming growth factor-beta 1 serum concentration in patients with prostatic cancer and benign prostatic hyperplasia", <u>Br. J. Urol.</u> , Vol. 81, abstract, (1998), 1 page		
14		WUNDERLICH, H., et al., "Serum Transforming Growth Factor-β1 in Patients with Renal Cell Carcinoma", <u>The Journal of Urology</u> , Vol. 157, (May, 1997), pp. 1602-1603		

EXAMINER Land

DATE CONSIDERED 7/15/04

## BEST AVAILABLE COPY

Substitute for form 1449A/PTO
INFORMATION DISCLOSURE 10/071861 **Application Number** STATEMENT BY APPLICANT Filing Date February 7, 2002 Slawin, Kevin First Named Inventor **Group Art Unit** 1645 Unknown **Examiner Name** Attorney Docket No: 675.002US1

Sheet 1 of 1

		US PA	TENT DOCUMENT	S		
Examiner Initial *	USP Document Number	Publication Date	Name of Patentee or Applicant of cited Document	Class	Subclass	Filing Date If Appropriate

		FOREIGN PATEN	T DOCUMENTS			
Examiner Initials*	Foreign Document No	Publication Date	Name of Patentee or Applicant of cited Document	Class .	Subclass	T <sup>2</sup>
	WO 02/31209A	04/18/2002	Mousses, S., et al.	C12Q	1/68	

	OTHE	R DOCUMENTS NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No 1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Tr
Mh		BOK, R. A., et al., "Vascular Endothelial Growth Factor and Basic Fibroblast Growth Factor Urine Levels as Predictors of outcome in Hormone-Refractory Prostate Cancer Patients: A Cancer and Leukemia Group B Study", Cancer Research, 61(6), (March 15, 2001), pp. 2533-2536	
Phh		DUQUE, J. I, et al., "Plasma Levels of Vascular Endothelial Growth Factor are Increased in Patients with metastatic Prostate Cancer", <u>Urology</u> , 54(3), (September 1999), pp. 523-527	
JW		GEORGE, D. J., et al., "Prognostic Significance of Plasma Vascular Endothelial Growth Factor Levels in Patients with Hormone-Refractory Prostate Cancer Treated on Cancer and Leukemia Group B 9480", Clinical Cancer Research: An Official Journal of the American Association for Cancer Research, 7(7), (July 2001), pp. 1932-1936	-
The		JONES, A., et al., "Elevated Serum Vascular Endothelial Growth Factor in Patients with Hormone-Escaped Prostate Cancer", BJU International, 85(3), (February 2000), pp. 276-280	

DATE CONSIDERED EXAMINER